

vzw **CHOUX DE BRUXELLES** asbl
Technical Info Jaune Toujours

full range p.a. system : 0 - 250 persons 2 x 2 kW
225 - 500 persons 2 x 4 kW
500 - 1000 persons 2 x 8 kW
> 1000 persons contact band

console : - min. 24 track
- 4-bands parametric eq.
- 3 post fader aux sends
- 3 stereo fx returns
- phantom power (48 volt)

outboard: - 2 x 31-bands graphic eq.
- 9 x compressor limiter
- 2 x noise gate
- 2 x reverb type Lexicon, TC Electronic M series
- 1 x delay with tap type TC d2, 2290

monitor: - 24-5 Monitor mixing table, 4-bands parametric eq.
- 31-bands graphic eq. on all outputs
- min . 6 x 15" floormonitors on min. 4 sends
! if no separate monitor console is available, the front console should
have min. 5 prefader aux sends & 31 bands graphic eq. on all outputs !


remarks: - intercom FOH - stage is necessary
- the FOH mixing table should not be placed:
. on or under a balcony
. left / right of the central axe of the stage
- all mentioned items may be replaced by other, on the condition that the
quality is the same or comparable
- if you have questions, please contact the band
- if the p.a. is rented, the renting company has to be informed of the technical
demands formulated in these sheets
- these sheets are part of the contract

Technical Info Jaune Toujours		
INSTR.	MIC/DI	Inserts
1 kick	Beta 52 / D112	gate
2 snare top	E 604 / SM 57	gate / comp 1
3 snare bottom	E 604 / SM 57	gate
4 HiHat	CK93 / Neu 184 / C 451	
5 Tom	E 604 / MD 421 / SM 57	
6 Tom	E 604 / MD 421 / SM 57	
7 Floor Tom	RE20 / MD 421 / SM 57	
8 OH L	C451 / CK91 / C414	
9 OH R	C451 / CK91 / C414	
10 cow bell	SM 57	
11 upright bass	active DI	compressor 2
12 accordeon L (Low)	XLR (Element < band)	
13 accordeon R (High)	active DI (Element < band)	compressor 3
14 trumpet	MD 421 / SM 57 / RE 20	compressor 4
15 trumpet	MD 421 / SM 57 / RE 20	compressor 5
16 sax soprano	MD 421 / SM 57 / RE 20	compressor 6
17 clarinet	XLR (Element < band)	compressor 7
18 bass clarinet	XLR (Element < band)	
19 lead voc (voc acc.)	Beta 57A	compressor 8
20 " (megaphone)	XLR (Element < band)	
21 voc bas	SM58	compressor 9
MONITORS: min. 6 x 15" floormonitors, on min. 5 sends		
vzw Choux de Bruxelles asbl		
Rue G. Schildknechtstraat 33/3, B-1020 Brussels - tel & fax +32 2 538 94 55		
www.choux.net - info@choux.net		

JAUNE TOUJOURS STAGE

(back)


X = stand, 1-21 = mic / line



**accordion
high low**

d.i. 12

13
lead megaphone
X X
19 20




trumpets

14
X

15
X

sax clarinets
16
X 17 18



(front)