

vzw **CHOUX DE BRUXELLES** asbl  
Technical Info Jaune Toujours

full range p.a. system : 0 - 250 persons 2 x 2 kW  
225 - 500 persons 2 x 4 kW  
500 - 1000 persons 2 x 8 kW  
> 1000 persons contact band

console : - min. 24 track  
- 4-bands parametric eq.  
- 3 post fader aux sends  
- 3 stereo fx returns  
- phantom power (48 volt)

outboard: - 2 x 31-bands graphic eq.  
- 9 x compressor limiter  
- 2 x noise gate  
- 2 x reverb type Lexicon, TC Electronic M series  
- 1 x delay with tap type TC d2, 2290

monitor: - 24-5 Monitor mixing table, 4-bands parametric eq.  
- 31-bands graphic eq. on all outputs  
- min . 6 x 15" floormonitors on min. 4 sends  
! if no separate monitor console is available, the front console should  
have min. 5 prefader aux sends & 31 bands graphic eq. on all outputs !


remarks: - intercom FOH - stage is necessary  
- the FOH mixing table should not be placed:  
. on or under a balcony  
. left / right of the central axe of the stage  
- all mentioned items may be replaced by other, on the condition that the  
quality is the same or comparable  
- if you have questions, please contact the band  
- if the p.a. is rented, the renting company has to be informed of the technical  
demands formulated in these sheets  
- these sheets are part of the contract

<b>Technical Info Jaune Toujours</b>		
<b>INSTR.</b>	<b>MIC/DI</b>	<b>Inserts</b>
1 kick	D112 / Beta 52	gate
2 snare 1	E 604 / SM 57	gate / comp 1
3 snare 2	E 604 / SM 57	gate
4 HiHat	CK93 / Neu 184 / C 451	
5 Tom	E 604 / MD 421 / SM 57	
6 Tom	E 604 / MD 421 / SM 57	
7 Floor Tom	RE20 / MD 421 / SM 57	
8 OH L	C451 / CK91 / C414	
9 OH R	C451 / CK91 / C414	
10 cow bell	SM 57	
11 contrabas	active DI	compressor 2
12 accordeon L (Low)	XLR (Element < band)	
13 accordeon R (High)	active DI (Element < band)	compressor 3
14 trumpet	MD 421 / SM 57 / RE 20	compressor 4
15 trumpet	MD 421 / SM 57 / RE 20	compressor 5
16 sax soprano	MD 421 / SM 57 / RE 20	compressor 6
17 clarinet	active DI (Element < band)	compressor 7
18 bass clarinet	active DI (Element < band)	
19 lead voc (voc acc.)	Beta 57A	compressor 8
20 " (megaphone)	XLR (Element < band)	
21 voc bas	SM58	
<b>MONITORS: 6 x 15" floormonitors, on 5 sends</b>		
<b>vzw Choux de Bruxelles asbl</b>		
Rue G. Schildknechtstraat 33/3, B-1020 Brussels - tel & fax +32 2 538 94 55		
<b>www.choux.net - info@choux.net</b>		

**JAUNE TOUJOURS STAGE**

(back)

**X = stand, 1-21 = mic / line**



**accordion**  
**high low**

**d.i.** 12

13  
lead megaphone  
**X** 19 **20**

mon.mix 2  
mon.mix 2

**trumpets**

14 **X** 15 **X**

mon.mix 3

**sax** **clarinets**

16 **X** 17 **d.i.** 18 **d.i.**

mon.mix 4

(front)